#### 三千控制阀网 www.cv3000.com



## **Taylor Valve Actuator Options**

### **RB Series Chokes**



Electric Actuator (Multi-Turn)

RB 3" with 3" 900# RFF In x Out Manual Gear

**Note:** Actuators shown are not manufactured by Taylor Valve, but bought as per customer requested specifications for their applications/ installations. Consult Taylor Valve for more options.

RB 3" with 3" 2500# RFF In x Out Electric Rotork Actuator IQTF 125 Used on RB 2" & 3" Max torque 92 ft. Ibs. actuator

> RB 6" with 6" 1500# RFF In x Out Electric Rotork Actuator IQS 35 Used on RB 3", 4" & 6" Max torque 250 ft. lbs. actuator

RB 4" with 4-1/16" 5000# API In x Out Electric Rotork Actuator IQTF 250 Used on RB 3", 4" & 6" Max torque 184 ft. lbs. actuator actuator




8300 SW 8th Street · Oklahoma City, Oklahoma 73128 www.TAYLORVALVE.com · PHONE 405.787.0145 · FAX 800.805.3401 · EMAIL info@taylorvalve.com







## **RB Series Chokes**



RB 6" with 6" 1500# In x Out Pneumatic Actuator Valtek VL 100 sq in (Custom side mounted actuator for Shell project)













### **RB Series Chokes**

Spring Diaphragm Pneumatic Actuators

R1" with 2" FNPT In X Out Fisher Pneumatic Spring Diaphragm Actuator Bench Set 30 PSI Positioner optional

> RB 2" with 2" 600# RF In X Out Fisher Pneumatic Spring Diaphragm Actuator Bench Set 30 PSI Positioner Optional

**Note:** Actuators shown are not manufactured by Taylor Valve, but bought as per customer requested specifications for their applications/ installations. Consult Taylor Valve for more options.

RB 3" with 3" 900# RFF In x Out Kimray's Pneumatic Spring Diaphragm Actuator

Used on RB 2" & 3"

RB2" with 3" 900# In x Out Dynaflo Pneumatic Spring Diaphragm Actuator Bench Set 1-20 PSI Positioner optional 

100

8300 SW 8th Street · Oklahoma City, Oklahoma 73128 www.TAYLORVALVE.com · PHONE 405.787.0145 · FAX 800.805.3401 · EMAIL info@taylorvalve.com








### **RB Series Chokes**

Spring Diaphragm Pneumatic Actuators

RB 3" with 4-1/16" 5K API In x Out Fisher Spring Diaphragm Pneumatic Actuator Bench Set 11-30 PSI Positioner Optional

> RB 3" with 4" 600# RFF x 4" 300# RFF In x Out Dynaflo Pneumatic Spring Diaphragm Actuator Bench Set 1-20 PSI Positioner optional



RB 4" with 4" 600# RFF x 4" 300# RFF In x Out Dynaflo Pneumatic Spring Diaphragm Actuator Bench Set 1-20 PSI Positioner optional







#### 三千控制阀网 www.cv3000.com



## **Taylor Valve Actuator Options**

### **MCX Series Chokes**

Electric Actuator (Quarter-Turn)

MCX 3" with 4" 900# RFF In x Out Indelac Male LX-14 Electric Actuator Used on MCX 3" & 4" Max 3840 in-lbs. torque actuator

> MCX 4"with 6" 900# RFF In x Out Indelac Female LX-14 Electric Actuator Used on MCX 3" & 4" Max 3840 in-lbs. torque actuator

MCX 4" with 6" 1500# RFF In x Out Indelac LX-5 Electric Actuator Used on MCX 3" & 4" Max 1200 in-lbs. torque actuator











### **MDA Series Chokes**

Electric Actuator (Quarter-Turn)

MDA 2"with 2" 1500# RFF In x Out Indelac MH Electric Actuator Used on MDA/MDI 1", 2" & 3" Max 1500 in-lbs. torque actuator

> MDA 2" with 2" FNPT In x Out Bettis EM-500 Female Actuator Used on MDA/MDI 1", 2" & 3" Max 1600 in-lbs. torque actuator

**Note:** Actuators shown are not manufactured by Taylor Valve, but bought as per customer requested specifications for their applications/ installations. Consult Taylor Valve for more options. MDA 2"with 2" 600# RFF In x Out Rotork CMQ500 Electric Actuator Used on MDA/MDI 1" & 2" Max 500 in-lbs. torque actuator



8300 SW 8th Street · Oklahoma City, Oklahoma 73128 www.TAYLORVALVE.com · PHONE 405.787.0145 · FAX 800.805.3401 · EMAIL info@taylorvalve.com



三千控制阀网 www.cv3000.com



## **Taylor Valve Actuator Options**

### **MDI Series Chokes**



MDI 3" with 3" 600# In x Out

Rotork CMQ 1000

### Electric Actuator (Quarter-Turn)

MDI 3" with 3" FNPT In x Out Valvcon Electric Actuator Used on MDA/MDI 3" Max 3840 in-lbs. torque actuator

MDI 2" with 2" 1500# RFF In x Out Indelac ML Electric Actuator Used on MDA/MDI 1", 2" & 3" Max 1500 in-lbs. torque actuator

Used on MDA/MDI 1", 2" & 3" Max 1000 in-lbs. torque actuator